

The new year began in a similar vein to 2016. The early birds included Common Ragwort, Common Chickweed, Red Deadnettle and Ground Ivy with Winter Heliotrope and Primrose in bloom by the middle of January. Snowdrops appeared within the first week of February and Lesser Celandine and Winter Aconite only a week later. The plants were undoubtedly helped by a mild and wet winter, just as last year. The bluebells carpeted the floor in Burley Wood for the outdoor meeting at the end of April, but Barnsdale and Hambleton Woods also had magnificent displays. Another meeting, in May, at Merry's Meadows, coincided with the thousands of Green-winged Orchids there. The other predominately botanical meeting was at Seaton Meadows at the end of June where members surveyed defined squares of the area looking for certain species. Common Knapweed, Ox-eyed Daisy, Common Bird's-foot-trefoil, and Yellow Rattle show the extent of the relative drier parts of the site. The wetter areas have Great Burnet, Meadowsweet, Meadow Vetchling and Common Meadow Rue, whilst the border area, between the two has Marsh Marigold and Cuckoo-flower. *Plantlife*, the owners of the Meadows, carried out drainage work in the winter and this has made a difference as the survey showed. Clearing out the silt and improving the function of the ditches has really helped.

There were more species of vascular plants recorded this year than last, a total of 404. This was due to an assiduous group of recorders, 16 in all, although the work done by Martin Grimes counted for a considerable percentage of the total. There were some new species, new at least within the last dozen years. Annual Mercury was found on the sandy beach by the side of the reservoir at Sykes Lane carpark and had probably come with the loads of sand imported. This was Martin's find and he also reported Arrowhead – seen in the Welland at Tinwell. Narrow-leaved Pepperwort, a member of the *Brassicaceae*, was found on arable land north of Great Casterton and Thorn-apple, from the family *Solinaceae*, at Ketton.

There weren't many different species of Orchid this year; Early Purple, Common Spotted, Bee, a few Pyramidal, and Common Twayblade made up the list.

Mostly it was the common sites that were visited, but there were some new places, Wardley Wood, Ryhall Heath and Walk Farm in the east of the county, and the river meadows at Tinwell all provided contributions to the list. Records also came in from the verges between Exton and Empingham, the triangle near Bloody Oaks Quarry, the verge between Great Casterton and Pickworth and verge 5 north of Ryhall. We are, as ever, open to offers of more verge recording, and more records from anywhere in the county, please. There are many areas that don't figure in the lists, especially in the northwest of the county.

Reports compiled by John Rodgers

8 Summerfield, Oakham, LE15 6PZ

01572 757278

rnhbotanyrecord@gmail.com

Scientific name	Common name	Location
<i>Ophioglossum vulgatum</i>	Adderstongue	MM
<i>Agrimonia eupatoria</i>	Agrimony	HambW, KQ, RyIIH, v 4, 5, 16
<i>Alnus glutinosa</i>	Alder	BarnsW
<i>Chonopodium polyspermum</i>	All Seed	Lynd
<i>Trifolium hybridum</i>	Alsike Clover	GtCast
<i>Epilobium ciliatum</i>	American Willowherb	Lynd
<i>Persicaria amphibia</i>	Amphibious Bistort	Lynd
<i>Mercurialis annua</i>	Annual Mercury	RWNR
<i>Sagittaria sagittifolia</i>	Arrowhead	Tin
<i>Fraxinus excelsior</i>	Ash	Pick
<i>Gentianella amarella</i>	Autumn Gentian	BOQ, Clips
<i>Scorzoneroidea autumnalis</i>	Autumn Hawkbit	Walk, v 4
<i>Potentilla sterilis</i>	Barren Strawberry	BW, ClipYTA, CPW, PC, StretW
<i>Crepis vesicaria</i>	Beaked Hawksbeard	RyIIH, v 5
<i>Ophrys apifera</i>	Bee Orchid	BOQ, KQ, Leigh, PW
<i>Stachys officinalis</i>	Betony	ClipYTA, CPW
<i>Fallopia convolvulus</i>	Black Bindweed	GtCast
<i>Tamus communis</i>	Black Bryony	RyIIH
<i>Ballota nigra</i>	Black Horehound	Kett, v 4, 6
<i>Medicago lupulina</i>	Black Medick	GtCast, v 4, 6, 16
<i>Solanum nigrum</i>	Black Nightshade	Pilt
<i>Prunus spinosa</i>	Blackthorn	BOQ
<i>Silene vulgaris</i>	Bladder Campion	GtCast v 4
<i>Erigeron acer</i>	Blue Fleabane	RyIIH QF KQ
<i>Hyacinthoides non-scripta</i>	Bluebell	BarnsW, BW, HambW, Lynd, PC, v 7
<i>Stellaria alsine</i>	Bog Stitchwort	Lynd
<i>Borago officinalis</i>	Borage	WW
<i>Pteridium aquilinum</i>	Bracken	BarnsLW
<i>Rubus fruticosus agg.</i>	Bramble	BarnsW, BOQ, HambW, Lynd, v4, 6, 16
<i>Sparganium erectum</i>	Branched Bur-reed	Lynd
<i>Helmanthotheca echioides</i>	Bristly Ox-tongue	Egl, HambW, KQ, v5
<i>Dryopteris dilatata</i>	Broad buckler	BarnsLW
<i>Rumex obtusifolius</i>	Broad-leaved Dock	Lynd
<i>Epilobium montanum</i>	Broad-leaved Willowherb	OakC
<i>Veronica beccabunga</i>	Brooklime	Lynd
<i>Orobanche elatior</i>	Broomrape	v 4
<i>Ajuga reptans</i>	Bugle	BarnsW, BW, CPW, Lynd, PC, v 4, 6, 16
<i>Ranunculus bulbosus</i>	Bulbous buttercup	Kald, v 4, 5,6, 16
<i>Typha latifolia</i>	Bulrush	Lynd, QF
<i>Pimpinella saxifraga</i>	Burnet Saxifrage	BOQ, QF

Scientific name	Common name	Location
<i>Vicia sepium</i>	Bush Vetch	Lynd, v 6
<i>Petasites hybridus</i>	Butterbur	WW
<i>Buddleja davidii</i>	Butterfly Bush	CQ
<i>Conyza canadensis</i>	Canadian Fleabane	Oak
<i>Solidago canadensis</i>	Canadian Goldenrod	KettA
<i>Euphorbia lathyris</i>	Caper Spurge	Ext
<i>Carlina vulgaris</i>	Carline Thistle	BOQ, CQ, KQ
<i>Polygala calcarea</i>	Chalk Milkwort	BOQ
<i>Sinapis arvensis</i>	Charlock	GtC, v 6
<i>Prunus cerasifera</i>	Cherry Plum	Kett, Upp
<i>Cichorium intybus</i>	Chicory	RyllH
<i>Galium aparine</i>	Cleavers	BOQ, SM, v 6
<i>Campanula glomerata</i>	Clustered Bellflower	BOQ, FH, v 4, 6, 16
<i>Dactylis glomerata</i>	Cocksfoot	BOQ, Egl
<i>Tussilago farfara</i>	Coltsfoot	CPW, ClipYTA, HambW, KQ, QF, StretW
<i>Aquilegia vulgaris</i> agg	Columbine agg	Lynd
<i>Erophila verna</i>	Common Whitlow Grass	HM
<i>Lotus corniculatus</i>	Common Birdsfoot	BOQ
<i>Centaurium erythaea</i>	Common Centaury	KQ, QF, v 16
<i>Stellaria media</i>	Common Chickweed	Kett, KQ, Oak
<i>Scirpus lacustris</i>	Common Clubrush	QF
<i>Symphytum officinale</i>	Common Comfrey	BarnsLW
<i>Viola riviniana</i>	Common Dog Violet	BOQ, BW, CPW, KQ, PC, StretW
<i>Veronica persica</i>	Common Field Speedwell	BOQ, HM, Kett, Oak, QF, v5
<i>Scrophularia nodosa</i>	Common Figwort	BOQ
<i>Pulicaria dysenterica</i>	Common Fleabane	Emp
<i>Fumaria officinalis</i>	Common Fumitory	O
<i>Lithospermum officinale</i>	Common Gromwell	BOQ
<i>Crataegus monogyna</i>	Common Hawthorn	BarnsW, BW, Pick, v 4, 5, 6
<i>Galeopsis tetrahit</i>	Common Hemp-nettle	Lynd
<i>Centaurea nigra</i> agg	Common Knapweed	KQ, RyllH, v 5, 6, 16
<i>Malva sylvestris</i>	Common Mallow	G Cast, v 4, 5
<i>Polygala vulgaris</i>	Common Milkwort	MM
<i>Cerastium fontanum</i>	Common Mouse-ear	Egl, Oak
<i>Conopodium majus</i>	Common Pignut	BOQ
<i>Papaver rhoeas</i>	Common Poppy	v 4, 6
<i>Senecio jacobaea</i>	Common Ragwort	Oak, v 4, 5, 6, 16
<i>Phragmites australis</i>	Common Reed	Egl
<i>Ononis repens</i>	Common Restarrow	v 4
<i>Helianthemum nummularium</i>	Common Rockrose	BOQ

Scientific name	Common name	Location
<i>Rumex acetosa</i>	Common Sorrel	SM
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	KQ, PGW, QF
<i>Linaria vulgaris</i>	Common Toadflax	Walk
<i>Listera ovata</i>	Common Twayblade	GtCast, KQ
<i>Valeriana officinalis</i>	Common Valerian	PickW
<i>Vicia sativa</i>	Common Vetch	KQ, v4, 6, 16
<i>Erophila verna</i>	Common Whitlow Grass	Oak, Tin
<i>Mentha arvensis</i>	Corn Mint	CPW
<i>Sonchus arvensis</i>	Corn Sow-thistle	Seat
<i>Anthriscus sylvestris</i>	Cow Parsley	BOQ, BW, GtCast, KQ, Lynd, v 4, 5, 6, 7, 16
<i>Primula veris</i>	Cowslip	BarnsW, BOQ, HM, KQ, RyIH, v 4, 5, 6, 7, 16
<i>Ranunculus repens</i>	Creeping Buttercup	BarnsW, KetA, v 4, 6, 16
<i>Potentilla reptans</i>	Creeping Cinquefoil	Egl, v6
<i>Cirsium arvense</i>	Creeping Thistle	HambW, Kett, v 4, 6
<i>Cynosurus cristatus</i>	Crested Dogstail	Walk
<i>Allium vineale</i>	Crow Garlic	v 7
<i>Securiga varia</i>	Crown Vetch	KQ
<i>Cardamine pratensis</i>	Cuckoo Flower	CPW, Lynd, Oak, PC
<i>Linum usitatissimum</i>	Cultivated Flax	GtCast
<i>Rumex crispus</i>	Curled Dock	Tin
<i>Geranium dissectum</i>	Cut-leaved Cranesbill	Tin, v 16
<i>Narcissus</i> agg	Daffodil	Lynd
<i>Bellis perennis</i>	Daisy	BW, CPW, GtCast, HM, KQ, QF, v 4, 5, 16
<i>Taraxacum</i> agg	Dandelion	BW, GCast, HambW, HM, QF, v 4, 5, 6, 7, 16
<i>Cochlearia danica</i>	Danish Scurvy Grass	Oak A606 Hamb turn, A1 Tickcote
<i>Atropa belladonna</i>	Deadly Nightshade	KQ
<i>Rubus caesius</i>	Dewberry	CPW
<i>Rosa canina</i>	Dog Rose	BOQ, KQ, v 6, 16
<i>Mercurialis perennis</i>	Dog's Mercury	BarnsW, BW, CPW, HambW, HM, v7
<i>Cornus sanguinea</i>	Dogwood	Lynd
<i>Lysimachia punctata</i>	Dotted Loosestrife	Lynd
<i>Geranium molle</i>	Dovesfoot Cranesbill	Pick, v4, 16
<i>Lycium barbarum</i>	Duke of Argyll's Teaplant	GtCast
<i>Malva neglecta</i>	Dwarf Mallow	Tin
<i>Cerastium pumilum</i>	Dwarf Mouse-Ear	KQ
<i>Euphorbia exigua</i>	Dwarf Spurge	Pick
<i>Cirsium acaule</i>	Dwarf Thistle	BOQ, CPW, KQ
<i>Viola reichenbachiana</i>	Early Dog Violet	QF, Upp
<i>Orchis mascula</i>	Early Purple Orchid	ClipYTA
<i>Sambucus nigra</i>	Elder	BOQ, v 4

Scientific name	Common name	Location
<i>Circaea lutetiana</i>	Enchanter's Nightshade	PW
<i>Quercus robur</i>	English Oak	Lynd
<i>Polygonum arenastrum</i>	Equal-leaved Knotgrass	RyIIH
<i>Euphrasia</i> sp	Eyebright	BOQ, BW, KQ, v 4, 16
<i>Linum catharticum</i>	Fairy Flax	BOQ, KQ
<i>Carex otrubae</i>	False Fox Sedge	Lynd
<i>Primula vulgaris x veris</i>	False Oxlip	HambW
<i>Chenopodium album</i>	Fat Hen	GtCast
<i>Tanacetum parthenium</i>	Feverfew	Oak, v 4
<i>Allium paradoxum</i>	Few-flowered Garlic	KettA
<i>Convolvulus arvensis</i>	Field Bindweed	RyIIH, v 6, 16
<i>Myosotis arvensis</i>	Field Forget-me-not	BarnsW, ClipYTA, PC, v 4, 16
<i>Equisetum arvense</i>	Field Horsetail	KQ, Walk
<i>Sherardia arvensis</i>	Field Madder	Pick
<i>Acer campestre</i>	Field Maple	WF
<i>Viola arvensis</i>	Field Pansy	Pick
<i>Viola arvensis</i>	Field Pansy	v4
<i>Thlaspi arvense</i>	Field Pennycress	Oak
<i>Senecia jacobaea</i>	Field Ragwort	Pick
<i>Rosa arvensis</i>	Field Rose	RyIIH
<i>Knautia arvensis</i>	Field Scabioius	GtCast, KQ, v 4, 5, 6, 16
<i>Aethusa cynapium</i>	Fool's Parsley	Pick
<i>Apium nodiflorum</i>	Fool's Watercress	HM
<i>Myosotis arvensis</i>	Forget -me-not	Lynd BW
<i>Braun Brk church</i>	Fox and Cubs	Braun
<i>Gymnadenia conopsea</i>	Fragrant Orchid	v 6, 16
<i>Alchemilla mollis</i>	Garden Lady's-mantle	CQ
<i>Ligustrum ovalifolium</i>	Garden Privet	RyIIH
<i>Raphanus sativus</i>	Garden Radish	Pick
<i>Alliaria petiolata</i>	Garlic Mustard	BarnsW, Lynd, oakC, v 4
<i>Veronica chamaedrys</i>	Germander Speewell	BW, KQ, v 4, 5, 6, 7, 16
<i>Campanula Latifolia</i>	Giant Bellflower	PC
<i>Heracleum mantegazzianum</i>	Giant Hogweed	Clip, PC
<i>Lycopus europaeus</i>	Gipsywort	LCast
<i>Carex flacca</i>	Glaucous Sedge	KQ
<i>Tragopogon pratensis</i>	Goatsbeard	GtCast, v 5
<i>Ranunculus auricomus</i> agg	Godlilocks Buttercup	ClipYTA, CPW, Upp, v 4,7
<i>Rumex maritimus</i>	Golden Dock	Lynd
<i>Ribes uva-crispa</i>	Gooseberry	CQ
<i>Ulex europaeus</i>	Gorse	KQ, Lynd

Scientific name	Common name	Location
<i>Lathyrus nissolia</i>	Grass Vetchling	QF
<i>Sanguisorba officinalis</i>	Great Burnet	MM
<i>Verbascum thapsus</i>	Great Mullein	CQ
<i>Epilobium hirsutum</i>	Great Willowherb	Lynd, v 5
<i>Lotus pedunculatus</i>	Greater Birdsfoot Trefoil	Lynd
<i>Pimpinella major</i>	Greater Burnet-saxifrage	GtCast
<i>Chelidonium majus</i>	Greater Celandine	KQ, KettA
<i>Centaurea scabiosa</i>	Greater Knapweed	RyIIH, v 4, 6, 16
<i>Vinca major</i>	Greater Periwinkle	Kett
<i>Plantago major</i>	Greater Plantain	Pick
<i>Ranunculus lingua</i>	Greater Spearwort	Lynd
<i>Stellaria holostea</i>	Greater Stitchwort	BarnsLW, BarnsW, BW, WW
<i>Pentaglottis sempervirens</i>	Green Alkanet	RyIIH, Upp
<i>Veronica agrestis</i>	Green Field Speedwell	GtCast
<i>Anacamptis morio</i>	Green-winged Orchid	MM
<i>Salix cinerea</i> ssp <i>cinerea</i>	Grey Willow	CQ
<i>Aegopodium podagraria</i>	Ground Elder	Kett
<i>Glechoma hederacea</i>	Ground Ivy	BW, HM, KQ, Oak, PC, QF, v 5, 6, 7, 16
<i>Senecio vulgaris</i>	Groundsel	BW, KQ, Oak, QF, v 4, 5, 16
<i>Viburnum opulus</i>	Guelder-rose	Lynd
<i>Carmine hirsuta</i>	Hairy Bittercress	BOQ, HambW, KQ, PC, Thist
<i>Hypericum hirsutum</i>	Hairy St John's Wort	CPW
<i>Vicia hirsuta</i>	Hairy Tare	Walk
<i>Viola hirta</i>	Hairy Violet	BOQ
<i>Campanula rotundifolia</i>	Harebell	BOQ, HM
<i>Phyllitis scolopendrium</i>	Hartstongue fern	QF
<i>Corylus avellana</i>	Hazel	HambW, KQ, Lynd, RyIIH
<i>Galium album</i>	Hedge Bedstraw	RyIIH, v 4, 6, 16
<i>Calystegia sepium</i>	Hedge Bindweed	RyIIH
<i>Sisymbrium officinale</i>	Hedge Mustard	Pick, v 4
<i>Stachys sylvatica</i>	Hedge Woundwort	Pick, v 4
<i>Geranium pyrenaicum</i>	Hedgerow Cranesbill	RyIIH
<i>Conium maculatum</i>	Hemlock	Egl, KQ
<i>Eupatorium cannabinum</i>	Hemp Agrimony	Lynd
<i>Lamium amplexicaule</i>	Henbit Deadnettle	RyIIH
<i>Geum urbanum</i>	Herb Bennet	Upp
<i>Geranium robertianum</i>	Herb Robert	BOQ, ClipYTA, HambW, KQ, Oak, v 6
<i>Plantago media</i>	Hoary Plantain	GtCast, v16
<i>Epilobium parviflorum</i>	Hoary Willowherb	Lynd
<i>Heracleum sphondylium</i>	Hogweed	BarnsW, BOQ, v 4, 6

Scientific name	Common name	Location
<i>Ilex aquifolium</i>	Holly	BarnsW, Upp
<i>Lunaria annua</i>	Honesty	KettA
<i>Lonicera periclymenum</i>	Honeysuckle	v 6, 16
<i>Trifolium campestre</i>	Hop Trefoil	KQ, Walk, v 4
<i>Aesculus hippocastanum</i>	Horse Chestnut	Upp
<i>Hippocrepis comosa</i>	Horseshoe Vetch	BOQ
<i>Cynoglossum officinale</i>	Hounds Tongue	BOQ, KQ, v 16
<i>Silene x hampeana</i>	Hybrid Campion	BOQ
<i>Impatiens glandulifera</i>	Indian Balsam	Tin
<i>Hedera helix</i>	Ivy	BarnsLW, KQ
<i>Veronica hederifolia</i>	Ivy-leaved Speedwell	PC, Tin
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax	Upp
<i>Orobanche elatior</i>	Knapweed Broomrape	RyIIH, v 4, 6
<i>Polygonum aviculare</i>	Knotgrass	RyIIH, v 4, 6,16
<i>Torilis nodosa</i>	Knotted Hedge-parsley	GtCast
<i>Galium verum</i>	Ladies Bedstraw	RyIIH, v 4, 6,16
<i>Arctium minus</i>	Lesser Burdock	RyIIH, v 6, 16
<i>Ficaria verna</i>	Lesser Celandine	BOQ, BW, Egl, HambW, PC, QF, v 4, 5, 7
<i>Spergularia marina</i>	Lesser Sea-spurrey	Seat
<i>Stellaria graminea</i>	Lesser Stitchwort	Lynd, v 4, 6, 1 6
<i>Trifolium dubium</i>	Lesser Trefoil	BOQ, Egl, MM
<i>Arum maculatum</i>	Lords and Ladies	BarnsW, BOQ, ClipYTA, PC, QF, v7
<i>Medicago sativa</i>	Lucerne	GtCast
<i>Dryopteris filix-mas</i>	Male Fern	BarnsLW
<i>Chenopodium polyspermum</i>	Many-seeded Goosefoot	GtCast, Lynd
<i>Galium palustre</i>	Marsh Bedstraw	PickW
<i>Gnaphalium uliginosum</i>	Marsh Cudweed	Egl
<i>Caltha palustris</i>	Marsh Marigold	Upp
<i>Cirsium palustre</i>	Marsh Thistle	BW, KQ
<i>Stachys palustris</i>	Marsh Woundwort	Kett, Tin
<i>Ranunculus acris</i>	Meadow Buttercup	BOQ, KettA, v 4
<i>Geranium pratense</i>	Meadow Cranesbill	Pick, v 4, 6, 16
<i>Centauria scabiosa</i>	Meadow Vetchling	Egl, GtCast, v 4, 5, 6
<i>Filipendula ulmaria</i>	Meadowsweet	ClipYTA, PickW, v 4
<i>Crataegus laevigata</i>	Midland Hawthorn	PC
<i>Mimulus guttatus</i>	Monkeyflower	OakC
<i>Adoxa moschatellina</i>	Moschatel	BarnsLW, BarnsW
<i>Pilosella officinarum</i>	Mouse-ear Hawkweed	KQ
<i>Artemesia vulgaris</i>	Mugwort	Kett, v 4
<i>Malva moschata</i>	Musk Mallow	HambW, Pick, v 6

Scientific name	Common name	Location
<i>Carduus nutans</i>	Musk/Nodding Thistle	HM
<i>Varianella dentata</i>	Narrow-fruited Cornsalad	GtCast
<i>Lepidium ruderale</i>	Narrow-leaved Pepperwort	GtCast
<i>Campanula trachelium</i>	Nettle-leaved Bellflower	GtCast
<i>Silene noctiflora</i>	Night-flowering Catchfly	GtCast
<i>Lapsana communis</i>	Nipplewort	RyIIH, v 4
<i>Bidens cernua</i>	Nodding Bur-marigold	Egl
<i>Chrysosplenium oppositifolium</i>	Opposite -leaved Golden-saxifrage	WW, PC
<i>Salix viminalis</i>	Osier	Lynd
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	TinM, v 4,16
<i>Senecio squalidus</i>	Oxford Ragwort	Oak
<i>Persicaria lapathifolia</i>	Pale Persicaria	Oak, Tin
<i>Parietaria judaica</i>	Pellitory-of-the-Wall	Cottes
<i>Hypericum perforatum</i>	Perforate St Johns Wort	KQ, RyIIH, v 4, 6, 16
<i>Euphorbia peplus</i>	Petty Spurge	Oak
<i>Conopodium majus</i>	Pignut	BOQ
<i>Matricaria discoidea</i>	Pineapple Weed	Pick, v 4
<i>Silene x hampeana</i>	Pink Campion	BOQ
<i>Inula conyzae</i>	Ploughman's Spikenard	KQ
<i>Lactuca serriola</i>	Prickly Lettuce	GtCast
<i>Sonchus asper</i>	Prickly Sow-thistle	Tin
<i>Primula vulgaris</i>	Primrose	BarnsW, BW, CPW, KQ, Lynd, PC, QF, YTA
<i>Oxalis corniculata</i>	Procumbent Yellow-sorrel	Oak
<i>Rhamnus cathartica</i>	Purging Buckthorn	BOQ, Egl
<i>Lythrum salicaria</i>	Purple Loosestrife	Egl, LFP
<i>Linaria purpurea</i>	Purple Toadflax	KettA
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid	BOQ, WF
<i>Briza media</i>	Quaking Grass	BOQ, Kett
<i>Silene/Lychnis flos-cuculi</i>	Ragged Robin	CPW
<i>Allium ursinum</i>	Ramsoms	ClipYTA, Lynd
<i>Chenopodium rubrum</i>	Red Goosefoot	Lynd
<i>Odontites vernus</i>	Red Bartsia	CPW, KQ, v 4
<i>Silene dioica</i>	Red Campion	BarnsW, BOQ, BW, Lynd, PC, v 4, 6, 16
<i>Aesculus carnea</i>	Red Chestnut	KettA
<i>Trifolium pratense</i>	Red Clover	Tin, v 4, 6, 16
<i>Ribes rubrum</i>	Red Currant	BarnsLW
<i>Lamium purpureum</i>	Red Dead Nettle	KettA, OakC, QF, v 5, 16
<i>Centranthus ruber</i>	Red Valerian	KQ
<i>Persicaria maculosa</i>	Redshank	Oak, Pick
<i>Carex remota</i>	Remote Sedge	PickW

Scientific name	Common name	Location
<i>Rhododendron ponticum</i>	Rhododendron	BW
<i>Melilotus officinalis</i>	Ribbed Melilot	KQ
<i>Plantago lanceolata</i>	Ribwort Plantain	BOQ, v 4, 5, 6, 16
<i>Sedum forsterianum</i>	Rock Stonecrop	RylIH
<i>Chamerion angustifolium</i>	Rosebay Willowherb	v5, 6, 16
<i>Chaerophyllum temulum</i>	Rough Chervil	Pick
<i>Leontodon hispidus</i>	Rough Hawkbit	KQ
<i>Kickxia spuria</i>	Round-leaved Fluellen	GtCast
<i>Saxifraga tridactylites</i>	Rue-leaved Saxifrage	Lynd
<i>Symphytum x uplandicum</i>	Russian Comfrey	BarnsLW
<i>Onobrychis vicifolia</i>	Sainfoin	GtCast
<i>Poterium sanguisorba</i>	Salad Burnet	BOQ, GtCast, v 4, 16
<i>Sanicula europaea</i>	Sanicle	KQ
<i>Anagallis arvensis</i>	Scarlet Pimpernel	GtCast, v 4, 6
<i>Matricaria recutita</i>	Scented Mayweed	Emp
<i>Tripleurospermum inodorum</i>	Scentless Mayweed	Tin, WW, v 4
<i>Prunella vulgaris</i>	Self-heal	KQ, v 4
<i>Capsella bursa-pastoris</i>	Shepherd's Purse	HM, Oak, v 6
<i>Geranium lucidum</i>	Shining Cranesbill	Upp
<i>Potentilla anserina</i>	Silverweed	CPW, Egl, v 6
<i>Scutellaria galericulata</i>	Skullcap	Egl
<i>Veronica filiformis</i>	Slender Speedwell	Thist, v 9
<i>Prunus spinosa</i>	Sloe	BW, HambW, PC, QF
<i>Scabiosa columbaria</i>	Small Scabious	BOQ
<i>Dipsacus pilosus</i>	Small Teasel	Lynd
<i>Chaenorhinum minus</i>	Small Toadflax	GtCast
<i>Geranium pusillum</i>	Small-flowered Cranesbill	Pick
<i>Crepis capillaris</i>	Smooth Hawksbeard	GtCast
<i>Sonchus oleraceus</i>	Smooth Sow-thistle	GtCast
<i>Vicia tetrasperma</i>	Smooth Tare	Walk
<i>Achillea ptarmica</i>	Sneezewort	MM
<i>Galanthus nivalis</i>	Snowdrop	Pick, v 7
<i>Cerastium tomentosum</i>	Snow-in-summer	v 7
<i>Dactylorhiza praetermissa</i>	Southern Marsh Orchid	KQ
<i>Hyacinthoides hisp non scripta</i>	Spanish Bluebell	v 4
<i>Cirsium vulgare</i>	Spear Thistle	BOQ, v 4, 16
<i>Euonymus europaea</i>	Spindle	BOQ, Lynd
<i>Ononis spinosa</i>	Spiny Restarrow	Clips
<i>Daphne laureola</i>	Spurge Laurel	GtCast, Kett, PC
<i>Hypericum tetrapterum</i>	Square-stalked St John's Wort	PC

Scientific name	Common name	Location
<i>Ornithogalum angustifolium</i>	Star-of-Bethlehem	GtCast
<i>Helleborus foetidus</i>	Stinking Hellebore	RyllH
<i>Iris foetidissima</i>	Stinking Iris	QF
<i>Sison amomum</i>	Stone Parsley	Egl, Pick
<i>Trifolium ochroleucon</i>	Sulphur Clover	QF, Ryll
<i>Euphorbia helioscopia</i>	Sun Spurge	Pick
<i>Viola odorata</i>	Sweet Violet	BOQ, HM, KettA, KQ, Oak, QF, v 5
<i>Lepidium coronopus</i>	Swine-cress	GtCast, WW
<i>Acer pseudoplatanus</i>	Sycamore	Kett
<i>Melilotus altissima</i>	Tall Melilot	KQ
<i>Tanacetum vulgare</i>	Tansy	Kett
<i>Phacelia tanacetifolia</i>	Tansy-leaved Phacelia	Pick
<i>Dipsacus fullonum</i>	Teasel	BOQ, KQ
<i>Arabidopsis thaliana</i>	Thale Cress	Upp
<i>Datura stramonium</i>	Thorn-apple	Kett
<i>Veronica serpyllifolia</i>	Thyme-leaved Sandwort	BOQ, BW, CQ, Egl, GtCast, HambW, v 16
<i>Linaria vulgaris</i>	Toadflax	KQ
<i>Lathraea squamarea</i>	Toothwort	TunW
<i>Brachypodium pinnatum</i>	Tor Grass	BOQ
<i>Potentilla erecta</i>	Tormentil	MM
<i>Clematis vitalba</i>	Traveller's Joy	GtCast
<i>Bidens tripartita</i>	Trifid Bur-marigold	Lynd
<i>Vicia cracca</i>	Tufted Vetch	GtCast, v 6, 16
<i>Quercus cerris</i>	Turkey Oak	KettA
<i>Lilium martagon</i>	Turk's Cap/Martagon Lily	Kett
<i>Torilis japonica</i>	Upright Hedge Parsley	CPW, v 4
<i>Legousia hybrida</i>	Venus's Looking-glass	GtCast
<i>Verbena officinalis</i>	Vervain	Lynd
<i>Echium vulgare</i>	Vipers Bugloss	KQ
<i>Mycelis muralis</i>	Wall Lettuce	v 5
<i>Veronica arvensis</i>	Wall Speedwell	Pick
<i>Ophrys apifera var. trollii</i>	Wasp Orchid	BOQ
<i>Geum X intermedium</i>	Water Aven hybrid	BW
<i>Myosoton aquaticum</i>	Water Chickweed	Lynd
<i>Scrophularia auriculata</i>	Water Figwort	OakC
<i>Equisetum fluviatile</i>	Water Horsetail	PC
<i>Mentha aquatica</i>	Water Mint	Lynd
<i>Rorippa nasturtium-aquaticum</i>	Watercress	HM
<i>Alisma plantago-aquatica</i>	Water-plantain	OakC
<i>Cardamine flexuosa</i>	Wavy Bittercres	BarnsLW, BW, KQ, PC, WW

Scientific name	Common name	Location
<i>Viburnum lantana</i>	Wayfaring Tree	Lynd
<i>Reseda luteola</i>	Weld	KQ
<i>Carduus crispus</i>	Welted Thistle	Kett
<i>Meconopsis cambrica</i>	Welsh Poppy	KettA
<i>Bryonia dioica</i>	White Bryony	BOQ, GtCast
<i>Silene latifolia</i>	White Campion	BarnsW, BOQ, v 4, 6, 16
<i>Trifolium repens</i>	White Clover	HambW, TinM, v 4, 5, 6, 16
<i>Symphytum orientale</i>	White Comfrey	Oak, Upp
<i>Lamium album</i>	White Dead Nettle	BOQ, CPW, HM, KQ, Oak, QF, v 4, 5, 6, 7, 16
<i>Nymphaea alba</i>	White Water-lily	FHP
<i>Sorbus aria</i>	Whitebeam	Lynd
<i>Angelica sylvestris</i>	Wild Angelica	WW
<i>Clinopodium vulgare</i>	Wild Basil	BOQ, KQ, v 4, 6, 16
<i>Daucus carota</i>	Wild Carrot	Egl KQ, v 5
<i>Astragalus glycyphyllos</i>	Wild Liquorish	RyIIH
<i>Origanum vulgare</i>	Wild Marjoram	BOQ, v 16
<i>Reseda lutea</i>	Wild Mignonette	BOQ, v 4, 6, 16
<i>Pastinaca sativa</i>	Wild Parsnip	BOQ, KQ, v 16
<i>Lingustrum vulgare</i>	Wild Privet	v 4
<i>Ribes rubrum</i>	Wild Redcurrant	PC
<i>Fragaria vesia</i>	Wild Strawberry	BOQ, KQ
<i>Dipsacus fullonum</i>	Wild Teasel	GtCast, v 5, 16
<i>Thymus polytrichus</i>	Wild Thyme	KQ
<i>Spiraea x pseudosalicifolia</i>	Willow-leaved Bridewort	WW
<i>Eranthis hyemalis</i>	Winter Aconite	Lynd, Pick
<i>Petasites fragrans</i>	Winter Heliotrope	Lynd, OakC
<i>Anemone nemorosa</i>	Wood Anemone	BarnsW, CPW, PC
<i>Geum urbanum</i>	Wood Aven	BOQ
<i>Rumex sanguineus</i>	Wood Dock	PickW
<i>Carex sylvatica</i>	Wood Sedge	KQ
<i>Oxalis acetosella</i>	Wood Sorrel	PC
<i>Veronica montana</i>	Wood Speedwell	BarnsLW
<i>Galiuim odoratum</i>	Woodruff	PC
<i>Solanum dulcamara</i>	Woody Nightshade	Lynd
<i>Cirsium eriophorum</i>	Woolly Thistle	BOT, KQ, QF
<i>Ulmus glabra</i>	Wych Elm	ClipYTA, PC
<i>Achillea millefolium</i>	Yarrow	Walk, v 4, 5, 6, 16
<i>Lamiastrum galeobdolon</i>	Yellow Archangel	BW, ClipYTA
<i>Monotropa hypopytis</i>	Yellow Birds Nest	KQ
<i>Pseudod fumaria lutea</i>	Yellow Corydalis	KettA, Oak

Scientific name	Common name	Location
<i>Iris pseudocorus</i>	Yellow Iris	Upp
<i>Rhinanthus minor</i>	Yellow Rattle	BOQ, GtCast, v 16
<i>Nuphar lutea</i>	Yellow Water-lily	KQ
<i>Blackstonia perfoliata</i>	Yellow-wort	BOQ, KQ, v 16
<i>Taxus baccata</i>	Yew	Kett